

Multistrain Probiotics



BIO-PRO is a direct fed microbial feed supplement which beneficially affects the host animal by improving part in aiding digestion, synthesis and absorption of vitamins and minerals and stimulating the immune system

COMPOSITION

Each gram of BIO-PRO-WS contains:

Bifidobacterium bifidum	2.00*10 ⁸ cfu/g
Lactobacillus acidophilus	2.06*10 ⁸ cfu/g
Lactobacillus bulgaricus	2.06*10 ⁸ cfu/g
Lactobacillus casei	2.06*10 ⁸ cfu/g
Lactobacillus plantarum	1.26*10 ⁸ cfu/g
Streptococcus faecium	5.40*10 ⁸ cfu/g
Streptococcus thermophilus	4.10*10 ⁸ cfu/g

YEAST:

Torulopsis spp	5.32*10 ⁷ cfu/g
Aspergillus oryzae	5.32*10 ⁷ cfu/g
Saccharomyces cerevisiae	0.4*10 ⁹ cfu/g
Carrier	Q.S

BENEFITS

- Reduces digestive disorders.
- Improves feed conversion efficiency (FCR).
- Improves egg shell quality.
- Improves food safety.
- Helps in longer laying life.
- No withdrawal period is required.
- Competitive exclusion by competing for adhesion sites and sub strains.
- Develops immunity by stimulating anti body production.
- Improves digestion.
- Reduces gut pH.
- Anti microbial action against certain pathogens.

USAGE IN WATER

For Poultry: Chicks: 1 Gram per liter of water for a period of 5-7 days.

For Poultry: After antibiotic therapy: 1 Gram in 4 liters of water for 5-7 days.

For Poultry: During stress conditions: 1 Gm in 4 liters of water for 3 days.

For Sheep & Cattle: 2-3 gms for 10Kg body weight or as directed by veterinarian.

Marketed by :



BIOCHEM PHARMA

LG-113, Xth Central Mall, Mahavir Nagar, Kandivali (W),
Mumbai 400067, Maharashtra, (INDIA). Ph: 022-2802 2808,
Email : info@biochempharma.in, Web: www.biochempharma.in

USAGE IN FEEDS

For Poultry: Broiler: Pre-starter: 150 Grams per ton of feed.

For Poultry: Starter: 100 Grams per ton feed.

For Poultry: Finishes: 50 Grams per ton of feed. Use for a period of 8 to 10 days.

For Poultry: Breeder & Layers: Use 50 to 100 Grams per ton of feed for a period of 7 days regularly.

Repeat at an interval of 3 to 4 weeks.

For Sheep & Cattle: As directed by veterinarian.

USAGE IN AQUACULTURE

Dissolve **Biopro-WS** in 50ltrs of water (Choline Free), for 1 hectare and spread the solution around culture surface of the pond.

Use water of sometime for uniform distribution of the solution

PRESENTATION

250GM, 500GM, 1KG, 5KG, 10KG & 25KG

